

REFRIGERATORS

SIDE-BY-SIDE



SGR896SBS-SS / SGR896SBS-W

Specification

Gross Capacity (Ltr)	700
Color / Finish	SS/White
Cooling Type	No Frost
Lock & Key	No
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V~50HZ
Dimension (Prod/Pack HxWxD mm)	1788x895x745/1855x965x778
Weight (Net /Gross Kg)	108/120
Stuffing (20'/40'/40'HC Units)	18/36/48

SIDE-BY-SIDE



SGR860SBSBLK

ALSO AVAILABLE: WHITE / SILVER

Specification

Gross Capacity (Ltr)	600
Color / Finish	Black Glass / White / Silver
Cooling Type	No Frost
Lock & Key	No
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V~50HZ
Dimension (Prod/Pack HxWxD mm)	1770x910x700 / 1872x972x754
Weight (Net /Gross Kg)	95/105
Stuffing (20'/40'/40'HC Units)	-/-/48

SIDE-BY-SIDE



SGR710 SBS - I

ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	600
Color / Finish	Inox / Silver
Cooling Type	No Frost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	230V, 50HZ
Dimension (Prod/Pack HxWxD mm)	1770x900x590 / 1862x972x630
Weight (Net /Gross Kg)	90 / 100
Stuffing (20'/40'/40'HC Units)	-/-/54

PIGEON PAIR



SGUF401NFP / SGR402NFP

Specification

Gross Capacity (Ltr)	400 / 400
Color / Finish	Inox / SS
Cooling Type	No Frost
Lock & Key	No
Refrigerant Type	R134a
Voltage (V, Hz)	220~240V, 50HZ
Dimension (Prod/Pack HxWxD mm)	1855x595x645 / 1925x745x660
	1855x595x635/1925x745x660
Weight (Net /Gross Kg)	82/90 - 74/82
Stuffing (20'/40'/40'HC Units)	27/54/72



SGR850WP / SGR890GL ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	650 / 700
Color / Finish	White / Gold / Silver
Cooling Type	No Frost
Lock & Key	Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50HZ
Dimension (Prod/Pack HxWxD mm)	1810x819x711 / 1932x853x767 1810x819x744 / 1932x853x795
Weight (Net /Gross Kg)	90/100 - 95/105
Stuffing (20'/40'/40'HC Units)	18/42/42 - 14/30/30



SGR840SS ALSO AVAILABLE: WHITE

Specification

Gross Capacity (Ltr)	730
Color / Finish	SS / White
Cooling Type	No Frost
Lock & Key	No
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V, 50HZ
Dimension (Prod/Pack HxWxD mm)	1806x860x735 / 1866x896x722
Weight (Net /Gross Kg)	96/106
Stuffing (20'/40'/40'HC Units)	-/-/39



SGR805SS ALSO AVAILABLE: WHITE

Specification

Gross Capacity (Ltr)	650
Color / Finish	SS / White
Cooling Type	No Frost
Lock & Key	No
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V, 50HZ
Dimension (Prod/Pack HxWxD mm)	1756x790x735 / 1819x842x780
Weight (Net /Gross Kg)	87 / 97
Stuffing (20'/40'/40'HC Units)	-/-/57



SGR804GL ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	730
Color / Finish	GL / Silver
Cooling Type	No Frost
Lock & Key	Yes
Refrigerant Type	R134a
Voltage (V, Hz)	230V, 50HZ
Dimension (Prod/Pack HxWxD mm)	1780x798x700 / 1961x852x775
Weight (Net /Gross Kg)	91 / 100
Stuffing (20'/40'/40'HC Units)	18/42/42

REFRIGERATORS

TOP MOUNT



SGR798GL

ALSO AVAILABLE: SILVER / WHITE

Specification

Gross Capacity (Ltr)	550
Color / Finish	GL / Silver / White
Cooling Type	No Frost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1809x723x749 / 1901x774x803
Weight (Net /Gross Kg)	89 / 98
Stuffing (20'/40'/40'HC Units)	21 / 42 / 42

TOP MOUNT



SGR595GL

ALSO AVAILABLE: SILVER / WHITE

Specification

Gross Capacity (Ltr)	500
Color / Finish	GL / Silver / White
Cooling Type	Frost free
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240/50HZ
Dimension (Prod/Pack HxWxD mm)	1724x723 x 694 / 1816x774 x 748
Weight (Net /Gross Kg)	81 / 88
Stuffing (20'/40'/40'HC Units)	21 / 45 / 67

TOP MOUNT



SGR560W / SGR560GL

ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	450
Color / Finish	White / GL / Silver
Cooling Type	Frost free
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240/50HZ
Dimension (Prod/Pack HxWxD mm)	1754.5x601 x 677 / 1846.5x630 x 755
Weight (Net /Gross Kg)	59 / 65
Stuffing (20'/40'/40'HC Units)	27 / 57 / 76

TOP MOUNT



SGR440WW / SGR440GL

ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	350
Color / Finish	White / GL / Silver
Cooling Type	Frost free
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240/50HZ
Dimension (Prod/Pack HxWxD mm)	1650.5x601 x 677 / 1751.5x630 x 755
Weight (Net /Gross Kg)	55 / 61
Stuffing (20'/40'/40'HC Units)	27 / 57 / 76



SGR410I / SGR410W / SGR510I / SGR510W

Specification	ALSO AVAILABLE: SILVER
Gross Capacity (Ltr)	410 / 510
Color / Finish	Inox / White / Silver
Cooling Type	No Frost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V, 50HZ
Dimension (Prod/Pack HxWxD mm)	1700x600x650/1783x643x685 1780x700x672/1860x741x715
Weight (Net /Gross Kg)	58/64 - 65 / 70
Stuffing (20'/40'/40"HC Units)	-/54/73 -- -/47/66

TOP MOUNT



SGR400CBNF ALSO AVAILABLE: SGR470CBNF

Specification	
Gross Capacity (Ltr)	400 / 470
Color / Finish	Inox
Cooling Type	No Frost
Lock & Key	No
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V, 50HZ
Dimension (Prod/Pack HxWxD mm)	1850X685X600 / 1928X643X720 1970x600x600 / 2026x650x 635
Weight (Net /Gross Kg)	70/76 - 72/80
Stuffing (20'/40'/40"HC Units)	-/54/72 -- -/54/71

BOTTOM MOUNT



SGR322CBDFS ALSO AVAILABLE: SGR258CBDFS

Specification	
Gross Capacity (Ltr)	322
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key / Drawers	Optional / 4
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V/50Hz
Dimension (Prod/Pack HxWxD mm)	1850x600x600 - 1925x650x635 1750x550x580 - 1803x575x605
Weight (Net /Gross Kg)	60/65- 52/56
Stuffing (20'/40'/40"HC Units)	-/54/72 - 49/76/102

BOTTOM MOUNT



SGR 249CBDF ALSO AVAILABLE: SGR282CBDF

Specification	
Gross Capacity (Ltr)	249
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key / Drawers	Optional / 3
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V/50Hz
Dimension (Prod/Pack HxWxD mm)	1660x550x580 - 1700x575x605 1770x550x580 - 1823x575x605
Weight (Net /Gross Kg)	51/56 - 50/55
Stuffing (20'/40'/40"HC Units)	49/106/106 - 40/76/101

BOTTOM MOUNT

REFRIGERATORS

TOP MOUNT



SGR360I / SGR360W / SGR260I / SGR260W

Specification

Gross Capacity (Ltr)	300 / 250
Color / Finish	White / Inox
Cooling Type	No Frost
Lock & Key	No
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V/50-60Hz
Dimension (Prod/Pack HxWxD mm)	1670x550x600 - 1710x575x622 1430x550x600 - 1462x575x622
Weight (Net /Gross Kg)	49/53 - 46/50
Stuffing (20'/40'/40'HC Units)	- / - /102 - - /-130

TOP MOUNT



SGR273SS / SGR273W

Specification

Gross Capacity (Ltr)	275
Color / Finish	SS / White
Cooling Type	No Frost
Lock & Key	Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220~240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1470x547x657 / 1490x575x675
Weight (Net /Gross Kg)	47 / 50
Stuffing (20'/40'/40'HC Units)	- / - /116

TOP MOUNT



SGR253SS / SGR253W

Specification

Gross Capacity (Ltr)	220
Color / Finish	SS / White
Cooling Type	No Frost
Lock & Key	Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220~240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1320x547x627 / 1325x575x645
Weight (Net /Gross Kg)	41 / 45
Stuffing (20'/40'/40'HC Units)	- / - /124

TOP MOUNT



SGR358H / SGR358HS ALSO AVAILABLE: SGR257H / SGR257HS

Specification

Gross Capacity (Ltr)	350 / 250
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V, 50-60Hz
Dimension (Prod/Pack HxWxD mm)	1700x600x600 / 1783x650x635 1430x550x580 - 1473x575x605
Weight (Net /Gross Kg)	57/63 - 42/46
Stuffing (20'/40'/40'HC Units)	- /54/73 - 49/108/142



SGR190KWW

ALSO AVAILABLE: **SGR190KSS**

Specification

Gross Capacity (Ltr)	190
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key	No
Refrigerant Type	R134a
Voltage (V, Hz)	220~240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1300x450x542/1334x486x577
Weight (Net /Gross Kg)	38 / 40
Stuffing (20'/40'/40'HC Units)	-/-/192



SGR198H / SGR175H

ALSO AVAILABLE **SILVER**

Specification

Gross Capacity (Ltr)	190 / 175
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1380x480x530 / 1450x510x560 1160x480x530 / 1224x510x560
Weight (Net /Gross Kg)	32 / 36 - 30 / 33
Stuffing (20'/40'/40'HC Units)	-/-/156 - -/-/184



SGR225H / SGR202H

ALSO AVAILABLE **SILVER**

Specification

Gross Capacity (Ltr)	250 / 187
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key	No
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1400x500x580 / 1442x530x618
Weight (Net /Gross Kg)	36/40
Stuffing (20'/40'/40'HC Units)	56/114/144



SGR175KWW / SSGR175KSS

Specification

Gross Capacity (Ltr)	175
Color / Finish	White / SS
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1135x450x522 / 1178x460x550
Weight (Net /Gross Kg)	36 / 38
Stuffing (20'/40'/40'HC Units)	-/-/210

REFRIGERATORS

SINGLE DOOR



SGR220RF

ALSO AVAILABLE
SGR220RA, SGR220W, SGR220SA

Specification

Gross Capacity (Ltr)	220
Color / Finish	Red Floral
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1149x531x620 / 1190x575x625
Weight (Net /Gross Kg)	34 / 36
Stuffing (20'/40'/40'HC Units)	-/-/152

SINGLE DOOR



SGR204S

ALSO AVAILABLE: SGR204R, SGR204W, SGR204F

Specification

Gross Capacity (Ltr)	180
Color / Finish	Dark Grey
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1035x531x618 / 1070x575x625
Weight (Net /Gross Kg)	30 / 32
Stuffing (20'/40'/40'HC Units)	-/-/152

SINGLE DOOR



SGR186

ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	170
Color / Finish	Black Glass / Silver
Cooling Type	Defrost
Lock & Key	No
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1140x520x520 / 1190x573x557
Weight (Net /Gross Kg)	37 / 40
Stuffing (20'/40'/40'HC Units)	-/128/166

SINGLE DOOR



SGR131HS

ALSO AVAILABLE: WHITE

Specification

Gross Capacity (Ltr)	110
Color / Finish	Silver / White
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	850x450x480 / 885x496x462
Weight (Net /Gross Kg)	20 / 22
Stuffing (20'/40'/40'HC Units)	142/306/344



SGR060H

Specification

Gross Capacity (Ltr)	140
Color / Finish	White
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	840x500x560 / 885x520x600
Weight (Net /Gross Kg)	25 / 27
Stuffing (20'/40'/40'HC Units)	105/224/254



SGR062H

ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	120
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	840x480x500 / 885x500x540
Weight (Net /Gross Kg)	22 / 24
Stuffing (20'/40'/40'HC Units)	114/236/274



SGR045H

ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	90
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	640x440x510 / 660x460x545
Weight (Net /Gross Kg)	17 / 19
Stuffing (20'/40'/40'HC Units)	164/329/439



SGR035H

ALSO AVAILABLE: SILVER

Specification

Gross Capacity (Ltr)	50
Color / Finish	White / Silver
Cooling Type	Defrost
Lock & Key	Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	510x440x470 / 528x460x510
Weight (Net /Gross Kg)	15 / 17
Stuffing (20'/40'/40'HC Units)	289/456/573

SUPER DADS KNOW BETTER

QUALITY, AFFORDABLE & HARD WORKING APPLIANCES
FOR DADS WHO WANT THE BEST FOR THEIR FAMILY

When it comes to your family, you never compromise. You want the best quality, at the very best value. That's just what Super General offers you. You can rely on us for the widest range of electronics and appliances that keep your home running smoothly, at a price you can afford.



All the appliances, electronics and white goods you need • Only the features you use
Hard-working, durable and fuss-free • All at the right value.

FREEZERS



ENJOY FRESHNESS